

# EX-TRAFIRE<sup>®</sup> 75SD

## ENGINEERED FOR ENDURANCE PLASMA CUTTING SYSTEM.



Last update of this page: 09/06/2021. See Revision history for details.

# EX-TRAFIRE® 75SD



## SIMPLE OPERATION




- + Easy to read, blue LED display
- + Protected filter regulator, easy to adjust
- + Engineered for professionals

## EX-TRA PERFORMANCE



- + Cutting, gouging, grid mode
- + Engineered especially for mechanised applications
- + 100 % duty cycle

## HIGHEST APPLICATION FLEXIBILITY



- + Plate thicknesses up to 35 mm +
- + Powerful and lightweight
- + TCS quick change flexible torch packages
- + Suitable for generator use

## BEST COST-EFFECTIVENESS




- + Reduced capital outlay
- + Enhanced consumable lifetime
- + Reduced costs of ownership

Last update of this page: 09/06/2021. See Revision history for details.


# EX-TRAFIRE® 75SD

## SPECIFICATIONS

- OUTPUT CURRENT (A)** 30-75
- INPUT VOLTAGE (VAC)** 3x400 VAC ± 15 %
- PLASMA GAS** COMPRESSED AIR
- CERTIFICATION** CE, C-TICK, CCC
- MODES** CUTTING / GOUGING / GRID CUTTING
- FREQUENCY (Hz)** 50/60
- MAXIMUM INPUT POWER (kVA)** 17.6 kVA @ 3X400 VAC
- OUTPUT VOLTAGE (VDC)** 170 V (EXTRA-BOOST 220 V)
- DUTY CYCLE @ 40 °C** 100% @ 75 A
- DIMENSION (l x h x w) mm** 560x400x265
- WEIGHT (kg)** 24
- RECOMMENDED CUTTING CAPACITY (mm)** 25
- SEVERANCE CUTTING CAPACITY (mm)** 35
- PIERCING CUTTING CAPACITY (mm)** 20
- AIR FLOW @ (lpm/bar)** 110 @ 5.2
- MAXIMUM INPUT PRESSURE (bar/psi)** 10/145
- PROTECTION LEVEL** IP23S
- INSULATION CLASS** H/F
- CNC INTERFACE** OPTIONAL
- INDUSTRY 4.0** NO
- TYPE OF TORCH** FHT-EX® 105RTX H/M



## MILD STEEL CUTTING CAPACITY IN MILLIMETRES



## COMPARISON WITH COMPETITIVE PLASMA CUTTING MACHINES

EX-TRAFIRE® 75SD IS THE MOST POWERFUL SYSTEM IN IT'S CLASS.



Last update of this page: 09/06/2021. See Revision history for details.

# EX-TRAFIRE® 75SD

## ORDERING INFORMATION

Description	Length	Part No.
<b>MANUAL PLASMA CUTTING SYSTEMS</b>		
EX-TRAFIRE®75SD/CE/3x400 V Hand System/FHT-EX®105RTXH Torch 8m/H Starter Kit	8 m	EX-4-010-041
EX-TRAFIRE®75SD/CE/3x400 V Hand System/FHT-EX®105RTXH Torch 15m/H Starter Kit	15 m	EX-4-010-042
<b>MECHANIZED PLASMA CUTTING SYSTEMS</b>		
EX-TRAFIRE®75SD/CE/3x400 V M System/FHT-EX®105RTXM-NR Torch 8m/M Starter Kit	8 m	EX-4-011-030
EX-TRAFIRE®75SD/CE/3x400 V M System/FHT-EX®105RTXM-NR Torch 15m/M Starter Kit	15 m	EX-4-011-031
<b>PLASMA POWER SUPPLY UNITS</b>		
EX-TRAFIRE®75SD/CE/3x400 V power supply unit (fully-equipped*)		EX-4-001-004

\* Fully-equipped=CNC interface & Serial interfaceport (CAN bus)

## AVAILABLE BULK PACKS

Description	Pcs	Part No.
Bulk Pack BP25 - Electrode 45-105 A (including 5pcs of the swirl ring holder)	1	EX-5-434-001
Bulk Pack BP25 - Nozzle 55/65 A	1	EX-5-435-001
Bulk Pack BP25 - Nozzle 75/85 A	1	EX-5-435-002
Bulk Pack BP18 - Shield 45-85A, Machine	1	EX-5-437-001

## AVAILABLE CONSUMABLE KITS

Description	Pcs	Part No.
Hand Torch Consumable Kit 55/65 A	1	EX-3-443-001
Machine Torch Consumable Kit 55/65 A	1	EX-3-444-001
Hand Torch Consumable Kit 75/85 A	1	EX-5-435-002
Machine Torch Consumable Kit 75/85 A	1	EX-4-444-001

## ACCESSORIES

Description	Pcs	Part No.
DN 7.2 ES Quick Connect Plug with female thread G 1/4"	1	EX-0-802-000
DN 7.2 ES Quick Connect Plug with male thread G 1/4"	1	EX-0-802-001
DN 7.2 ES Quick Connect Coupling with male thread G 1/4"	1	EX-0-802-002
Grease 25 ml	1	EX-0-805-001
Filter-EX Compressed Air Filter	1	EX-0-804-001
Filter-EX Air Filter Cartridge	8	EX-0-804-002

Last update of this page: 25/01/2023.. See Revision history for details.

# EX-TRAFIRE® 75SD



FRONT VIEW



BACK VIEW



SIDE VIEW

Last update of this page: 09/06/2021. See Revision history for details.